




Firmware Upgrade D-Link DIR 825

Configuring Your Router

STEP 1 (a): Connect Your PC to the Router

- Unbox the router and power up the router.
- Connect the Act internet cable to the WAN/Internet port(different coloured port) of the router.
- An extra cable will be available with the router, take LAN cable connect one end to the LAN port(1-4) of the router(any one port) and one end to the PC or Laptop.
- In the system press  key & R key together  +  to open Run dialog box.
- Type ipconfig on the command prompt(Black screen) . The default gateway of the LAN or Ethernet adapter will be the Router address. (Ex:192.168.1.1)

```
C:\Users\USER>ipconfig

Windows IP Configuration

Wireless LAN adapter Wireless Network Connection:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . : ATRIA

Ethernet adapter Local Area Connection:

    Connection-specific DNS Suffix  . :
    IPv4 Address. . . . . : 192.168.1.101
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 192.168.1.1
```

STEP 1 (b): Connect Your Mobile

- Switch on the router and connect ACT internet cable to the WAN/Internet port of the router
- Go to setting in the Mobile, turn on Wi-Fi and wait until the mobile detects router name press the router name to connect.
- If the router is already configured and the Wi-Fi password is known then go to settings in the Mobile
- Under “Wireless and Networks”, press Wi-Fi make sure "Wi-Fi" is turned on.
- Wait until the mobile detects router name press the router name if prompted enter the Wi-Fi password and press Connect.

STEP 2: Logging into the Router


- Open a browser → Enter the below IP Address in the Address Bar. A login page appears. The usual usernames and passwords are given in the table below.


Router Name	IP Address	Username	Password
Cisco or Linksys	192.168.1.1	admin	admin
D-Link	192.168.0.1	admin	(blank)
TP-Link	192.168.0.1	admin	admin
Netgear	192.168.1.1	admin	password
Belkin	192.168.2.1	Click on Login in Home	(blank)
Tenda	192.168.0.1	admin	admin
i-Ball Baton	192.168.1.1	admin	admin
Digisol	192.168.2.1	admin	1234 or admin
Asus	192.168.1.1	admin	admin

- If all the above credentials do not work, please check the back of the router where the username and password will be mentioned.

STEP 2.1: Logging into the Router

The username is “Admin” and no password(blank)



2.5.39
DIR-825AC
English  **D-Link**[®]
Building Networks for People


DIR-825AC. Authorization required

Login


Password

STEP 3 (As and when required): Firmware upgrade

Under System > firmware upgrade > Select the update file from the PC which has been downloaded from the router website > Update the router



You can choose to download a Firmware version and then upload it offline or choose to download directly from internet itself



STEP 4: Saving Configuration

Save all the settings by going to System > Save

This Step is Mandatory. Not saving Configuration will lead to Loss of Configuration Changes done till now.

The screenshot shows the D-Link DIR-825 web interface. The top navigation bar includes the D-Link logo, the text "emulator DIR-825", and a menu with "System" and "English" options. The "System" option is circled in red. On the left, a sidebar menu lists various settings categories, with "System" selected. A central pop-up menu displays several icons and labels: "Save" (circled in red), "Reboot dev...", "Get config ...", "Restore co...", "Reset to fa...", "Update firm...", "Logout", "Wi-Fi 2.4 G...", "Wi-Fi 5 GHz", and "Umount sto...". The main content area shows a "Firmware upgrade" section with a search bar, a file input field, a "Browse" button, and an "Update" button at the bottom right.

ACT

THANK YOU